

**Bid Document**

<b>Bid Details</b>	
Bid End Date/Time	30-12-2019 16:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Maharashtra
Department Name	Rural Development Department
Organisation Name	Zilla Parishad Satara
Office Name	General Administration Dept Z P Satara 415001
Total Quantity	225
Item Category	All in One PC
Bidder Turnover (Last 3 Years)	50 Lakh (s)
OEM Average Turnover (Last 3 Years)	400 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption For Years Of Experience And Turnover	No
Startup Exemption For Years Of Experience And Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Bid to RA enabled	No

**EMD Detail**

Advisory Bank	State Bank of India
EMD Percentage(%)	1.00
EMD Amount	100125

**ePBG Detail**

Advisory Bank	State Bank of India
---------------	---------------------

ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	36

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

Education Officer

General Administration Dept Z P Satara 415001, Rural Development Department, Zilla Parishad Satara,  
(Prabhavati Murlidhar Kolekar)

**Splitting**

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**All In One PC ( 225 pieces )**

**Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Processor	<b>Processor Make</b>	Intel	Intel
	<b>Processor Generation</b>	8	8.0 Or higher
	<b>Number of Cores per Processor</b>	2	2, 4, 6, 8 Or higher
	Processor Base Frequency (GHz)	2.2	*
	<b>Processor Description</b>	Intel Core i3	Intel Core i3, Intel Core i5, Intel Core i7, Intel Core i9 Or higher
	<b>Processor Number</b>	Intel Core i3 8130U	Intel Core i5 7500, Intel Core i5 8500T, Intel Core i5 7600, Intel Core i5 7600K, Intel Core i5 8400, Intel Core i5 8500, Intel Core i5 8600, Intel Core i5 8600K, Intel Core i7 7700T, Intel Core i7 7700, Intel Core i7 8700T, Intel Core i7 7700K, Intel Core i5 8250U, Intel Core i7 8700, Intel Core i3 8130U, Intel Core i5 8700K, Intel Core i5 Turbo Boost 3.6 GHz, Intel Core i5 Turbo Boost 4.1 GHz, Intel Core i5 Turbo Boost 4.3 GHz, Intel Core i5 Turbo Boost 4.6 GHz, Intel Core i3 9100, Intel Core i3 9300, Intel Core i3 9320, Intel Core i5 9400, Intel Core i5 9500, Intel Core i5 9600, Intel Core i7 9700, Intel Core i9 9900 Or higher
	Out of Band Management	NA	*
Cache (MB)	4	*	
Motherboard	<b>Chipset Series</b>	OEM	Intel H Series, Intel B Series, Intel Q Series, OEM Or higher
	<b>Chipset Number</b>	On OEM Motherboard	Intel H110, Intel H270, Intel H310, Intel H370,

			Intel B250, Intel B360, Intel Q 250, Intel Q 270, Intel Q 370, On OEM Motherboard Or higher
	Expansion Slots (M Dot 2)	2	*
Graphics	Graphics Type	Integrated	*
	Graphic Card Description	-	*
	<b>Size of Memory in Case of Dedicated Graphic Card (GB)</b>	0	0, 1, 2, 3, 4 Or higher
	Size of VRAM in case of Integrated Graphics (MB)	-	*
Operating System	<b>Operating System (Factory Pre-Loaded)</b>	Windows 10 Home	Windows 10 Home
	Recovery Image Media	-	*
	OS Certification	Windows	*
Memory	Type of RAM	DDR4	*
	<b>RAM Size (GB)</b>	4	4, 8, 16, 32 Or higher
	RAM Speed (MHz)	2400	*
	Total Numbers of DIMM Slots Available	2	*
	Number of DIMM Slots populated	1	*
	<b>RAM Expandability up to( using spare DIMM Slots in GB)</b>	16	16, 32, 64 Or higher
Storage	<b>Type of Drives used to populate the Internal Bays</b>	HDD	HDD
	Number of Internal Bays populated with HDD	1	*
	Capacity of each HDD (GB)	1000 @7200 rpm	*
	<b>Total HDD Capacity (GB)</b>	1000	1000, 1500, 2000, 2500, 3000 Or higher
	Number of Internal Bays populated with SSD	0	*
	Capacity of each SSD (GB)	0	*
	<b>Total SSD Capacity</b>	0	128, 256, 384, 512,

	<b>(GB)</b>		768, 1024, 2048, 4096, 0 Or higher
	Optane Memory (GB)	0	*
Display	<b>Display Size (INCHES)</b>	21.5	21.5, 22, 23.6, 23.8, 27, 34, 37.5 Or higher
	<b>Display Type</b>	-	Non Touch, Touch Or higher
	<b>Panel Technology</b>	IPS	IPS Or higher
	<b>Display Resolution (PIXELS)</b>	1920x1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 3440 x 1440, 4096x2304, 5120x2880 Or higher
	<b>Availability of Webcam integrated with Display</b>	Yes	Yes
	If yes, Resolution of Webcam	HD	*
	Availability of Speakers integrated with Display	Yes	*
	If Yes, Number of Speakers available	1	*
Connectivity	Wireless Connectivity	Yes	*
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac	*
	Number of Ethernet Ports	1	*
	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port	*
	Bluetooth Connectivity	No	*
	If Yes, Version of Bluetooth Available	0	*
Ports	Number of USB Version 2 Point 0 Ports	2	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	2	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	0	*
	Number of Serial Ports	0	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	1	*
	Number of DP Ports	0	*

Generic	Optical Drive	DVD R/W	*
	Audio-in	Yes	*
	Audio-out	Yes	*
	Headphone out	Yes	*
	Microphone-in	Yes	*
	Stand	Standard	*
Power	Power Supply	External	*
	Power Supply Capacity (Watt)	-	*
	Minimum Power Efficiency Range (%)	85 - 90	*
Certification	BIS Registration under CRS of Meity	Yes	*
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	BEE / Energy Star for the given Model	Yes	*
	Other Certification Available	UL,CE,FCC	*
Input Devices	Mouse Connectivity	Wired	*
	Type of Mouse	Optical Scroll	*
	Keyboard Connectivity	Wired	*
	Type of Keyboard	Standard	*
Operating Conditions	Minimum Operating Temperature	10	*
	Maximum Operating Temperature	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	90	*
Warranty	<b>On Site OEM Warranty (Year)</b>	3	3, 5 Or higher

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

**Additional Specification Documents**

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Prabhavati Murlidhar Kolekar	415001,Zilla Parishad Satara, Satara-Koregaon Road,Sadar Bazar Camp.Satara	225	30

### **Bid Specific Additional Terms and Conditions**

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
2. Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)
3. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
5. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
6. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
7. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
8. ISO 9001: The bidder must have ISO 9001 certification.
9. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**