

**RA Document**

<b>RA Details</b>	
RA Technical End Date/Time	23-07-2020 17:00:00
RA Opening Date/Time	23-07-2020 17:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Maharashtra
Department Name	Rural Development Department
Organisation Name	Zilla Parishad Satara
Office Name	General Administration Dept Z P Satara 415001
Total Quantity	20000
Item Category	Novel Coronavirus (COVID-19) Sample Collection Kit
Average Turnover (Last 3 Years)	10 Lakh (s)
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Inspection Required	No

**EMD Detail**

Advisory Bank	ICICI
EMD Percentage(%)	0.50
EMD Amount	17000

**ePBG Detail**

Advisory Bank	ICICI
ePBG Percentage(%)	2.00
Duration of ePBG required (Months).	2

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**Beneficiary:**

District Health Officer ZP Satara  
 General Administration Dept Z P Satara 415001, Rural Development Department, Zilla Parishad Satara,  
 (Aniruddha Achyut Athalye)

**Splitting**

RA splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

**Novel Coronavirus (COVID-19) Sample Collection Kit ( 20000 pieces )**

**Technical Specifications**

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERAL FEATURES	Product Description	Novel Coronavirus (COVID-19) Sample Collection Kit	*
	Purpose	To collect and transport samples for COVID-19 testing	*
	Type of specimen collection	Upper respiratory specimens	*
	Sterile and ready to use	Yes	*
KIT CONTENTS	<b>Kit Contents</b>	1 Tube of Viral	1 Tube of Viral

		Transport Media with 2 Swabs	Transport Media with 1 Swab, 1 Tube of Viral Transport Media with 2 Swabs
	Provided with literature in English with complete directions for collection, storage, transport and carrying of the sample	Yes	*
VIRAL TRANSPORT MEDIA SPECIFICATIONS	<b>Quantity of medium in the tube (ml)</b>	3	3 Or higher
	<b>Medium contains</b>	Protective protein and antibiotic to control microbial and fungal contamination and buffers to control the pH	Protective protein and antibiotic to control microbial and fungal contamination and buffers to control the pH
	<b>Features of medium</b>	Allows long survival of the present virus and and offers maximum recovery	Allows long survival of the present virus and and offers maximum recovery
	pH value of medium	7.3 ± 0.3	*
	Method of sterilization for media	0.22 micron filtered sterilized	*
SWAB SPECIFICATIONS	<b>Type of Swab</b>	Oropharyngeal Swab	Oropharyngeal Swab
	<b>Material of swab</b>	Synthetic fiber swabs with plastic shafts	Synthetic fiber swabs with plastic shafts
	With Break-point	Yes	*
	Method of sterilization for swabs	ETO	*
PACKAGING	<b>Type of packing for medium</b>	Filled in polypropylene tubes	Filled in polypropylene tubes
	Type of packing for swabs	Individually packed in easy to open peel pouches	*
	Packing	Each tube with swab(s) packed in a duplex box	*
STORAGE CONDITIONS	<b>Storage temperature for the kit</b>	2-30 degree Celsius	2-30 degree Celsius
	The supplier should ensure maintenance of recommended temperature during storage and shipping of Kit	Yes	*
	Cold chain indicator to be placed on each kit	Yes	*

CERTIFICATIONS & REPORTS	Manufacturer certifications	GMP,WHO GMP,ISO:13485	*
	Product Certifications	EU-CE (IVD) From Notified Body	*
	Availability of Test report of Final Product from Central GOVT/NABL/ILAC accredited Lab/ any of the ICMR validation Center to prove the conformity to the declared specifications	Yes	*
	Supplier shall have certificate/License from DCGI for Import /Manufacture of item & all certifications, licenses and test reports to be submitted to buyer along with any specific certification requirement imposed by country of origin	Yes	*
SHELF LIFE	<b>Shelf life from the date of manufacture (in months)</b>	12	12, 18, 24 Or higher
	The product should have at least 3/4 of the total shelf life at the time of delivery to the consignee	Yes	*

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

#### Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	Aniruddha Achyut Athalye	415001,Zilla Parishad Satara, Satara-Koregaon Road,Sadar Bazar Camp.Satara	20000	10	

### Bid Specific Additional Terms and Conditions

1. After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit 5

samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name District Integrated Society for Health & FW Program Satara Account No. 646001701438 IFSC Code ICIC0006460 Bank Name ICICI Satara Branch address Ch Shahu Stadium Branch Satara.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

[This RA is also governed by the General Terms and Conditions](#)

**---Thank You---**