

RA Document

RA Details	
RA Technical End Date/Time	03-08-2020 13:00:00
RA Opening Date/Time	03-08-2020 13:30:00
RA Life Cycle (From Publish Date)	90 (Days)
RA Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Maharashtra
Department Name	Rural Development Department
Organisation Name	Zilla Parishad Satara
Office Name	General Administration Dept Z P Satara 415001
Total Quantity	4
Item Category	Ambulances - R
Average Turnover (Last 3 Years)	12 Lakh (s)
OEM Average Turnover (Last 3 Years)	25 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Inspection Required	No

EMD Detail

Advisory Bank	ICICI
EMD Percentage(%)	0.50
EMD Amount	12871

ePBG Detail

Advisory Bank	ICICI
---------------	-------

ePBG Percentage(%)	2.00
Duration of ePBG required (Months).	2

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

District Health Officer ZP Satara
 General Administration Dept Z P Satara 415001, Rural Development Department, Zilla Parishad Satara,
 (Aniruddha Achyut Athalye)

Splitting

RA splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Ambulances - R (4 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Description	Description	Road Ambulance or Ambulance is a specially equipped and ergonomically designed vehicle for transportation / emergent treatment of sick or injured people and capable of providing out of hospital medical care during transit / when stationary, commensurate with its designated level of care when appropriately staffed	*
Generic Vehicle parameters	Type of Ambulance	Type B (as per clause 3.3.2 of AIS:125 Part-1)	Type B (as per clause 3.3.2 of AIS:125 Part-1)
	Category of Vehicle	M2	M2
	Vehicle Engine Capacity	909	*
	Type of Fuel	Diesel	Diesel
	Vehicle Emission Compliance	BS VI	BS VI
	Colour of the Vehicle	White	*
	Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115 of CMVR 1989) (Kmpl)	19.59	19.59 - 50.0 Or higher
	Top Speed	95	*
	Acceleration(0-70Kmph)	25	25.0
	Gradeability of Vehicle	10	*
	Air Conditioning	Whole Ambulance	Whole Ambulance
	Engine BHP	47	More than 47.0 Or higher
	Rated RPM at Max Engine BHP	3750	*
Engine Torque Max (N-m)	100	More than 100.0 Or higher	
Rated RPM at Max Engine Torque	100	*	

Type of Vehicle Body	Monocoque	Monocoque
No of Doors	5	*
Fuel Tank Capacity	33	*
Length of Vehicle Body	3798	*
Width of Vehicle Body	1540	*
Height of Vehicle Body	1922	*
Ground Clearance(road Clearance from floor)	173	*
Wheel Base	1950	*
Kerb Weight	1320	1320.0
Gross Vehicle Weight	2110	2110.0
Type of Tyre and Tube	BIS marked Pneumatic Tyres and tubes for both front and rear	*
Size Of Tyre	-	*
Vehicle Transmission System	Manual	Manual
No of Speed/ Forward Gears	5	5
Type of Wheel drive	Two Wheel drive	Two Wheel drive
Drive Axle	Rear	*
Type of Steering	Power	Power
Turning Radius	4700	Less than 4700.0 Or lower
Front Vehicle Brake	Disc Brake	*
Rear Vehicle Brake	Drum Brake	*
Vehicle Air Intake System	TurboCharged	*
Vehicle features	Vehicle Brake ABS Fitted,Low Fuel warning Light	*
Ambulance Body	Patient Compartment	As per cl. 4.5 of AIS 125 Pt I
	Overall Length of Patient Compartment	2120
	Overall Width of Patient Compartment	1260
	Overall Height of Patient Compartment	1290
	Construction of Patient Compartment	The ceiling, the material of floor and side shall be non-

		permeable and resistant to disinfectant	
	Body Main Structure Shape and Material	NA for Monocoque	*
	Size of Section	-	*
	Exterior Panel of side body and roof	NA for Monocoque	*
	Interior Panel of side body	GI sheet of thickness 0.8 mm min, FRP panelling, ABS panelling with Anti bacterial material	*
	Interior Panel of roof	GI sheet of thickness 0.6mm ,min	*
	Flooring Material	Flooring Made Out from ISI Marked 12 mm thick FR grade plywood covered with vinyl sheet	*
	Openings (Doors, Windows, Emergency Exits)	AS per cl. 4.4.5 of AIS 125 Pt I	*
	Number of Seats (including driver)	6	6
	Number of stretcher	1	1
	Min Number of Patient and Attendant Seats	2	*
Main Equipments	Features of Main Stretcher	stretcher with minimum of two quick-release patient restraints.	*
	PROVISION FOR MEDICAL DEVICES	Mounting for portable Oxygen cylinder of 2.2 L water capacity, Hook for infusion mounting, Storage for keeping first aid and nursing kit	*
	Type of Patient Handling Equipment	Main stretcher with undercarriage, Oxygen Cylinder Bracket, I.V. Bottle Hanging Hook, First Aid Box in side of rear saloon	*
	Ambulance Features	Medical cabinet in side of rear saloon, Roof revolving light, Siren, Fire Extinguisher as per AIS 125 PT I	*

Electrical Requirement	Additional Electric Load of Medical Equipment's permissible (Watts) as per AIS 125 (Part-1)	0	*
	Number of battery(ies) provided other than the vehicle battery	NA	*
	Additional Battery Capacity	NA	*
	Alternator Power	NA for type B	*
	Min no of 12V connections for medical devices in patient's compartment	NA	*
	Min number of 220V AC power supply connections for medical devices in patient compartment	NA	*
Environment Testing	Environment Testing Compliance	Flammability Test as per IS 15061: 2002 (as applicable),Interior fitting compliance as per AIS-047 established,Air conditioning and Heating Performance Tests(Clause 4.5.4 as per AIS125 Pt I) Compliance,Acceleration Test (Clause 4.2.1 per AIS 125 Pt I and IS:11851-2002) Compliance,Water Proofing Test (IS:11865-1995) Compliance,Dust Ingress Test (IS:11739-1997) Compliance	*
	Additional Features for COVID 19 Ambulance	Partition Between Driver & Patient Compartment	*
	Warranty Time	24	24.0
	Warranty Distance (or warranty time, whichever earlier)	60000	60000.0
	Battery Warranty	12	12.0
	No Of Free Service during warranty	3	*

Certification	Applicable GSR 287(E),Central Motor Vehicles(4th Amend)Rules,2015 and Ambulance CODE (Latest)	Compliance to AIS 125(Part I) : Constructional and Functional Requirements for Road Ambulances with all amendments till date.	*
	Certification	Complete vehicle	*
	Vehicle Certification	VRDE	*
	Vehicle Certification ARAI/VRDE/ICAT/CIRT No	-	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days	
1	Aniruddha Achyut Athalye	415001,Zilla Parishad Satara, Satara-Koregaon Road,Sadar Bazar Camp.Satara	4	15	

Bid Specific Additional Terms and Conditions

- Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name District Integrated Society for Health & FW Program Satara Account No. 646001701438 IFSC Code ICIC0006460 Bank Name ICICI Branch address Ch Shahu Stadium Satara.
Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.
- Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 1 years for the offered products at the rate not more than 1 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement (covering preventive maintenance and servicing)with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Annually after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 2% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).

[This RA is also governed by the General Terms and Conditions](#)

---Thank You---

